

BRIEF PROJECT REQUIREMENT

Bank of Baroda (Uganda) Limited invites sealed bids for supply and installation of following:

| Requirements: | | |
|----------------------|--|-----------------------------|
| No. | Description | Quantity |
| 1. | Supply and installation of ICT equipments: <ul style="list-style-type: none"> Equipment's to be installed at the respective branches as mentioned in the list/table. Equipment Specifications should be as attached or similar or higher. EOL/EOS should not be before 5years from date of installation. | As mentioned in below table |

| Sr no | Items | HO | Kololo | Mukono | Kla main | Lira | Iganga | Industrial Area | Lugazi | Quantity |
|--------------|--|-----------|---------------|---------------|-----------------|-------------|---------------|------------------------|---------------|-----------------|
| 1 | Desktop PC with Windows 10 pro License | 10 | | | 2 | 1 | 1 | 1 | 7 | 22 |
| 2 | Laptop with Windows 11 pro License. | 4 | | | | | | | | 4 |
| 3 | iPad with keyboard and cover. | 2 | | | | | | | | 2 |
| 4 | Multifunction network printer | 1 | 1 | | 1 | | 1 | 1 | | 5 |
| 5 | HP Scanjet Pro 2500 f1 | | | 1 | | | | | | 1 |
| 6 | Receipt Printer (TALLY 5040) | 2 | | | | 1 | 1 | | 2 | 6 |
| 7 | Cheque Scanner (ARCA LS 150 UV) | 2 | | | | | | | | 2 |

TENDER DELIVERY DETAILS

The bidders/vendors are requested to address and submit their sealed proposal to:

Executive Director
Head Office, Bank of Baroda (U) Ltd.,

18 Baroda House,
Kampala Road, Kampala

Important Dates:

| # | Particulars | Timeline |
|---|--|---|
| 1 | RFP Issuance Date | 08.07.2022 |
| 2 | RFP Coordinator Name, Contact details (Bank) | 1. Mr. Subhapratik Pradhan 2. Email: IT.UGANDA@bankofbaroda.com 3. Contact No. +256 707688796 |
| 3 | Last Date of Submission of RFP Response (Closing Date) | 5 PM on 15.07.2022 |

SUBMISSION DETAILS

Please submit bids in sealed envelopes.

EVALUATION METHODOLOGY

The vendor quoting technically qualified bid and with the lowest commercial shall qualify as the L1/successful vendor/bidder. The vendor is expected not to add any conditions / deviations in the commercial bid. Any such conditions / deviations may make the bid liable for disqualification. If required, order will be placed line item wise at the quoted cost to the L1/successful vendors/bidders.

OTHER TERMS AND CONDITIONS

Warranty: 1 year (Comprehensive onsite)

Delivery : Delivery should be within 8 weeks from the date of LPO at the specific branches.

Payment : Within 30 days of delivery and installation

Prices : Price should be Inclusive of all.

Bank reserve the right to rejection of Bids without assigning any reason.

Bank reserve the right to recall the whole process without giving any reason.

TECHNICAL SPECIFICATION FOR PC:

| | |
|--------------------|---|
| HARDWARE: | |
| FORM FACTOR | Small Tower/Tower |
| CPU: | Minimum Intel Core i5 Processor or similar |
| CACHE- | Minimum 6MB L3 Intel Cache |

| | |
|-----------------------------|--|
| CPU UGRADABILITY- | Uniprocessor |
| CHIPSET | Any Compatible Intel Chipset meeting the specification below |
| BIOS- | PnP Flash BIOS |
| MEMORY- | Min 16 GB DDR3 PC3 10600 1600/1866MHz |
| MEMORY-EXPANDABILITY | Expandable to Min. 32GB |
| MEMORY SLOT- | Min. 2 Nos. |
| CD/DVD DRIVE- | SATA 16x DVD+/- RW with Dual Layer Write Capability |
| HDD- | 1 TB SATA III HDD with 7200 RPM or equivalent (Make-OEM) |
| NIC- | Integrated 10/100/1000 Mb/s PCI Bus Fast Ethernet adaptor with Wake on LAN |
| Graphics | Integrated Intel HD Graphics with Shared RAM |
| AUDIO- | High Definition Audio or Equivalent with Internal Speaker |
| POWER SUPPLY- | Min. 180W 100-240VAC 50-60Hz |
| EXPANSION SLOTS- | Min. One PCI Express x16, One PCI x 1 & One PCI/PCIe |
| PORTS- | Front-Min. 2 USB port, Microphone (Stereo), Head phones (Stereo 3.5mm) |
| | Rear-Min. 4 USB port, Ethernet(RJ45), Monitor (1 VGA |
| | Display port), One serial |
| | Note: Total USB ports 6 no's out of which Min 2 USB port with 3.0 required. |
| REAR AUDIO PORTS- | Line in (Stereo 3.5mm), Line out (Stereo 3.5mm) Microphone-in (Stereo 3.5mm) |
| TOTAL DRIVE BAYS- | Min 2 Bays except Internal HD bay |
| CONSOLE- | Min 19" Wide TFT LED color Monitor (Make-Desktop OEM) with a compliant. |
| | Standard of TCO 6.0 |
| KEYBOARD- | 104 Keys USB Heavy Duty keyboard – US (Make -OEM) |
| POINTING DEVICE- | Two buttons with Scroll button USB Mouse (Make-OEM) |
| COMPLIANCE- | Safety, Any one or more EPEAT Gold rating, Energy Star 5.0 Compliant Green guard & RoHs and Mandatory - Green Peace Rating of 4 or above |
| Software included | Windows 10 pro CD and sticker, CD of Windows/MAC: Installer/Uninstaller, print driver |

TECHNICAL SPECIFICATION FOR NETWORK PRINTER:

| | |
|------------------------------|-----------------------|
| Functions | Laser Print |
| First page out (ready) black | Min 8 sec |
| Resolution (black) | Up to 1200 x 1200 dpi |
| Monthly duty cycle | Minimum 50,000 pages |
| Number of print cartridges | 1 (black) |

| | |
|------------------------------|--|
| Paper trays, standard | 1 |
| Connectivity, standard | 1 Hi-Speed USB 2.0, Ethernet 10/100/1000T |
| Network ready | Standard (built-in Gigabit Ethernet) |
| Compatible operating systems | Windows 11, Windows 10, Windows 8, Windows 7 (32-bit and 64-bit) |
| Memory, standard | 256 MB |
| Duplex printing | Automatic (standard) |
| Media sizes supported | A4; A5; A6 |
| Print speed, black | 35 ppm |
| Power consumption | 600 watts (Printing), 420 watts (Copying), 10.5 watts (Ready), 9.5 watts (Sleep) |
| Energy efficiency | ENERGY STAR® qualified; EPEAT® Silver |
| Software included | CD of Windows/MAC: Installer/Uninstaller, print driver |

TECHNICAL SPECIFICATION FOR MFP

| Multi-Function printer minimum specification | |
|---|--|
| Functions | Print, copy, scan |
| First page out (ready) black | 8 sec |
| Resolution (black) | Up to 1200 x 1200 dpi |
| Monthly duty cycle | Up to 50,000 pages |
| Number of print cartridges | 1 (black) |
| Paper trays, standard | 2 |
| Connectivity, standard | 1 Hi-Speed USB 2.0, Gigabit Ethernet 10/100/1000T |
| Network ready | Standard (built-in Gigabit Ethernet) |
| Compatible operating systems | Windows 8, Windows 7, Windows 10 (32-bit and 64-bit) |
| Memory, standard | 256 MB |
| Duplex printing | Automatic (standard) |
| Media sizes supported | A4; A5; A6 |
| Print speed, black | 35 ppm |
| Power consumption | 600 watts (Printing), 420 watts (Copying), 10.5 watts (Ready), 9.5 watts (Sleep) |

| | |
|-------------------|--|
| Energy efficiency | ENERGY STAR® qualified; EPEAT® Silver |
| Software included | CD of Windows/MAC: Installer/Uninstaller, print driver, Scan Driver, |

TECHNICAL SPECIFICATION FOR TALLY 5040 PRINTER:

| | |
|--------------------------------------|--|
| Power Device Type | power supply |
| Nominal Voltage | AC 120 V |
| Frequency Required | 50/60 Hz |
| Power Consumption Operational | 73 Watt |
| Form Factor | Internal |
| Technology | dot-matrix |
| Print Speed | 100 char/sec, 120 char/sec, 133 char/sec, 150 char/sec, 160 char/sec, 200 char/sec, 300 char/sec, 360 char/sec, 400 char/sec, 480 char/sec, 600 char/sec |
| Built-in Devices | status LCD |
| Connectivity Technology | Wired |
| Interface | Parallel, USB, serial |
| Language Simulation | EPSON ESC/P, IBM 4722, IBM ProPrinter XL24e, Olivetti PR2, Olivetti PR2e, Olivetti PR50 |
| Fonts Included | 1 x bitmapped 1 x barcode |
| Barcodes | Codabar, Code 128, Code 39, Code 93, EAN/JAN-13, EAN/JAN-8, Industrial 2 of 5, Interleaved 2 of 5, OCR-A, OCR-B, UPC-A, UPC-E |
| Printer Features | automatic head gap adjustment |
| Paper Size | Cut forms: Width: 70 - 210 mm (80 column standard cut sheet): Length: 70 - 500 mm: Thickness 60-180 g/m2 |
| Header Brand | Tally Genicom |
| Product Line | Tally Genicom |
| Model | 5040 |
| Print head Type | 24 pin |
| Printing Technology | dot-matrix |
| RAM Installed Size | 32 KB |
| Printer Features | automatic head gap adjustment |
| Media Handling | front paper feeder |
| Printing Output Type | Monochrome |
| Qty of Consumables Included | 1 |
| Printing Max Resolution B/W | 360 x 180 dpi |
| Service & Support | 1 year warranty |

TECHNICAL SPECIFICATION FOR SCANNER:

| | |
|--------------------------------------|---|
| Scanner type | Flatbed, ADF |
| Scan resolution, optical | Up to 600 dpi (colour and monochrome, ADF); Up to 1200 dpi (colour and monochrome, flatbed) |
| Duty cycle (daily) | Up to 1,500 pages (ADF) |
| Bit depth | 24-bits external 48-bits internal |
| Levels of grayscale | 256 |
| Scan size, maximum | 216 x 297 mm |
| Media types | Paper (banner, inkjet, photo, plain), envelopes, labels, cards (greeting, index) |
| Media weights, supported ADF | 60 to 105 g/m ² |
| Scan file format | For text and images: PDF, JPEG, PNG, BMP, TIFF, TXT(Text), RTF (Rich Text) and searchable PDF |
| Scan input modes | Scan front-panel function: Save as PDF, Save as JPEG, Email as PDF and Send to Cloud; HP Scan in Windows OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN |
| Scanner advanced features | One pass duplex scanning; One button scan; OCR; Configurable scan shortcuts |
| Control panel | 5 buttons (including Sleep/Power button); 7 LEDs (including Power, Error, Scan to which destination and Simplex/Duplex) |
| Automatic document feeder capacity | Standard, 50 sheets |
| Automatic document feeder scan speed | Up to 20 ppm/40 ipm (black & white, grey and colour, 300 dpi) |
| Compatible operating systems | Windows 10, 8/8.1, 7; Mac OS X v10.9 (Mavericks), OS X v10.10 (Yosemite) |
| Connectivity, standard | Hi-Speed USB 2.0 |
| Power | Input Voltage: 90 to 264 VAC, 50/60 Hz |
| Software included | HP Scanner Device Driver, HP WIA Scan Driver, HP TWAIN Scan Driver (Certified), HP Scan, HP Scanner Tools Utility, HP Event (Button) Handler, HP Windows Installer, I.R.I.S. Readiris Pro, I.R.I.S. Cardiris, Nuance PaperPort, SDK (software |

| | |
|----------------|--|
| | Development Kit), LPDF (file with link to download software), no Mac Software on CD. |
| Warranty | One-year limited hardware warranty |
| Cable included | USB cable |

Technical Specifications for iPad

| | | |
|----------|------------|--|
| Network | Technology | GSM / HSPA / LTE / 4G/ 5G |
| Launch | Announced | 2022, March 08 |
| | Status | Available. Released 2022, March 18 |
| | Dimensions | 247.6 x 178.5 x 6.1 mm (9.75 x 7.03 x 0.24 in) |
| | Weight | 461 g (Wi-Fi) / 462 g (5G) (1.02 lb) |
| | Build | Glass front, aluminum back, aluminum frame |
| | SIM | Nano-SIM, eSIM |
| | | Stylus support (2nd gen) |
| Display | Type | Liquid Retina IPS LCD, 500 nits (typ) |
| | Size | 10.9 inches, 359.2 cm ² (~81.3% screen-to-body ratio) |
| | Resolution | 1640 x 2360 pixels (~264 ppi density) |
| | Protection | Scratch-resistant glass, oleo phobic coating |
| | | True-tone |
| | | Wide color gamut |
| Platform | OS | iPadOS 15.4, upgradable to iPadOS 15.4.1 |
| | Chipset | Apple M1 |
| | CPU | Octa-core |
| Memory | Card slot | No |

| | | |
|---------------|-------------|--|
| | Internal | 64GB, 256GB 8GB RAM |
| Main Camera | Single | 12 MP, f/1.8, (wide), 1/3", 1.22µm, dual pixel PDAF |
| | Features | HDR |
| | Video | 4K@24/25/30/60fps, 1080p@25/30/60/120/240fps; gyro-EIS |
| | | |
| Selfie camera | Single | 12 MP, f/2.4, 122° (ultra-wide) |
| | Features | HDR |
| | Video | 1080p@30/60fps |
| | | |
| Sound | Loudspeaker | Yes, with stereo speakers |
| | 3.5mm jack | No |
| | | |
| Comms | WLAN | Wi-Fi 802.11 a/b/g/n/ac/6, dual-band, hotspot |
| | Bluetooth | 5.0, A2DP, EDR |
| | GPS | Yes, with A-GPS, GLONASS (5G model only) |
| | NFC | No |
| | Radio | No |
| | USB | USB Type-C 3.1 Gen2, DisplayPort; magnetic connector |
| Features | Sensors | Fingerprint (top-mounted), accelerometer, gyro, compass, barometer |
| | | |
| Battery | Type | Li-Ion (28.6 Wh), non-removable |
| Misc | Colors | Space Gray, Starlight, Pink, Purple, Blue |
| | | |
| | | |

| | | |
|----------------------|----------------------|----------------------|
| Casing with Keyboard | Casing with Keyboard | Casing with Keyboard |
|----------------------|----------------------|----------------------|

Technical Specifications for Laptop

| | |
|-----------------------------|--|
| Operating system | Windows 11 pro |
| Processor | Intel® Core™ i5 -1165G7 (up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 4 cores, 8 threads) |
| Graphics | Integrated; Intel® Iris® X ^e Graphics Discrete NVIDIA® GeForce® MX450 (2 GB GDDR6 dedicated) or equivalent |
| Display | 15.6" diagonal, FHD (1920 x 1080), multitouch-enabled, IPS, edge-to-edge glass, micro-edge, Corning® Gorilla® Glass NBT™, 400 nits, 100% sRGB |
| | |
| Display brightness | 400 nits |
| Display color gamut | 100% sRGB |
| Finger print reader | Fingerprint reader |
| Memory | 16 GB DDR4-3200 MHz RAM (2 x 8 GB) |
| Storage | 1 TB SATA III HDD with 7200 RPM or equivalent (Make-OEM) |
| Optical drive | Optional |
| Wireless technology | Intel® Wi-Fi 6 AX200 (2x2) and Bluetooth® 5 combo (Supporting Gigabit data rate) |
| Power supply | 65 W AC power adapter |
| Battery | 3-cell, 51 Wh Li-ion polymer |
| Battery life | Up to 14 hours and 15 minutes |
| Video Playback Battery Life | Up to 12 hours and 30 minutes |
| Battery Recharge Time | Supports battery fast charge: approximately 50% in 30 minutes |
| External I/O Ports | 1 SuperSpeed USB Type-C® 10Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4, Sleep and Charge); 1 SuperSpeed USB Type-A 10Gbps signaling rate (Sleep and Charge); 1 SuperSpeed USB Type-A 10Gbps signaling rate; 1 HDMI 2.0b; 1 AC smart pin; 1 headphone/microphone combo |
| Expansion slots | 1 multi-format SD media card reader |

| | |
|------------------------|--|
| Energy efficiency | EPEAT® registered |
| Webcam | Wide Vision 720p HD camera with camera shutter and integrated dual array digital microphones |
| Audio | Dual speakers; Audio Boost |
| Sensors | Accelerometer; eCompass; Gyroscope; IR Thermal sensor |
| Pointing device | Image pad with multi-touch gesture support; Precision Touchpad Support |
| Keyboard | Full-size, backlit, nightfall black keyboard |
| Dimensions (W X D X H) | 14.13 x 8.98 x 0.72 in |
| Warranty | 1-year hardware warranty. |
| Software included | Windows 11 OS License |
| Security management | All-in-One keyboard; Trusted Platform Module (Firmware TPM) support |